


Today's announcements:

MP7 available. Due 12/6, 11:59p. EC due 11/30, 11:59p.

Exam5: 12/4-12/7, CBTF. Review Fri, 12/2, 7-9p, Siebel 1404

Final: 12/8on, CBTF. Review Sat, 12/3, 4-6p, Siebel 1404


Graphs: BFS example



A	C B D
B	A C E
C	B A D E F
D	A C F H
E	B C G
F	C D G
G	E F H
H	D G

Graphs: Traversal – BFS

Visits every vertex and classifies each edge as either “discovery” or “cross”



Algorithm BFS(G)

Input: graph G

Output: labeling of the edges of G as discovery edges and back edges

For all u in G.vertices()

 setLabel(u, UNEXPLORED)

For all e in G.edges()

 setLabel(e, UNEXPLORED)

For all v in G.vertices()

 if getLabel(v) = UNEXPLORED

 BFS(G,v)

Algorithm BFS(G,v)

Input: graph G and start vertex v

Output: labeling of the edges of G in the connected component of v as discovery edges and cross edges

queue q;

setLabel(v, VISITED)

q.enqueue(v);

While !(q.isEmpty)

 q.dequeue(v)

 For all w in G.adjacentVertices(v)

 if getLabel(w) = UNEXPLORED

 setLabel((v,w),DISCOVERY)


 setLabel(w, VISITED)

 q.enqueue(w)

 else if getLabel((v,w)) = UNEXPLORED

 setLabel((v,w),CROSS)

Graphs: BFS example




A	C B D
B	A C E
C	B A D E F
D	A C F H
E	B C G
F	C D G
G	E F H
H	D G

While loop

For loop

TOTAL RUNNING TIME:

Graphs: BFS observations




•

•

•

•

Graphs: Traversal - DFS



Ariadne, Theseus, and the
Minotaur

<http://www.cs.duke.edu/csed/jawaa2/examples/DFS.html>

<http://www.student.seas.gwu.edu/~idsv/idsv.html>

<http://www.youtube.com/watch?v=8qrZ1clEp-Y>

Crossword

Edited by Will Shortz


PUZZLE BY AIMEE LUCIDO

ACROSS

- 1 LPs and 45s
6 Cools, as drinks
10 Traffic components
14 With 5-Down, where "Quiet!" is often yelled
15 "Not guilty," e.g.
16 Eye part
17 Like some stickers
20 Spicy cuisine
21 Sweetie
22 Make fun of
23 Enemy of Spider-Man
27 Identify in a Facebook photo
29 Source of stress for a coll. senior
30 Where shingles go
31 Mea ____
33 Pants part
34 Cutlass or Delta BB
38 Navigation aid for Hansel and Gretel
42 Tale
43 Thumbs-up vote
44 Card game of Spanish origin
45 Almanac contents
47 Not Rep. or Ind.
49 Wood in archery bows
50 Degrees of separation in a Hollywood parlor game
53 Building made of bricks
55 Branch
56 Branch
59 1976 Abba song ... or a hint to the starts of 17-, 23-, 38- and 50-Across
63 Prime draft status
64 Possesses
65 Probably will, after "is"
66 Deborah of "The King and I"
67 Bygone Tunisian V.I.P.'s
68 "Get clean" program

DOWN

- 1 "O mighty Caesar! ____ thou lie so low?": Shak.
2 Move slowly
3 One finishing a marathon in eight hours, say
4 Leader of a meeting
5 See 14-Across
6 "There's an app for that" device
7 Trolley sound
8 Day's end, to a poet
9 Downcast
10 Writing with wedges and such
11 Birdlike
12 Ones dressed in stripes, for short
13 Secure
18 Often-impersonated diva
19 Normandy battle site
24 "Gosh almighty!"
25 Utah city
26 Crash and burn
27 Franchise offering "soft serve" and "hand scooped"



11/29/11 (No. 1128)


ANSWER TO PREVIOUS PUZZLE

F	L	O	W		I	M	A	C		H	A	D	A	T	
D	I	D	I		S	A	R	A		O	B	E	S	E	
A	M	O	S		O	N	A	N		F	I	C	H	E	
	P	R	E	T	T	Y	B	O	Y	F	L	O	Y	D	
			G	O	O		S	E	E	M	E				
G	A	L	L	U	M	P	H			R	A	N	G	I	N

- 28 Subtle glow
32 Chinese zoo attraction
33 Color
35 Feature of the ancient palace of Minos at Knossos
36 Urgent
37 Large amount
39 Ancient Roman censor
40 Actress Meg
41 Tut's resting place
45 ____-deucey (backgammon variety)
47 Compulsion by threat
48 TV award
50 Screwup
51 Mrs. Doubtfire, e.g.
52 Run to Las Vegas, perhaps
53 Crazy'dly
54 Finished
57 Self-referential, in modern lingo
58 Like many restaurants without a liquor lic.
60 Like some '60s fashion
61 Run a tab
62 Disfigure

DFS: “visits” each vertex

classifies each edge as either “discovery” or “back”



Algorithm DFS(G)

Input: graph G

Output: labeling of the edges of G
as discovery edges and back edges

For all u in G.vertices()

 setLabel(u, UNVISITED)

For all e in G.edges()

 setLabel(e, UNEXPLORED)

For all v in G.vertices()

 if getLabel(v) = UNVISITED

 DFS(G,v)

Algorithm DFS(G,v)

Input: graph G and start vertex v

Output: labeling of the edges of G in the
connected component of v as discovery edges and
back edges

setLabel(v, VISITED)

For all w in G.adjacentVertices(v)

 if getLabel(w) = UNVISITED


 setLabel((v,w),DISCOVERY)

 DFS(G,w)

 else if getLabel((v,w)) = UNEXPLORED


 setLabel(e,BACK)

Graphs: DFS example



A	B	C	D	E
B	A	C		
C	B	A	D	E
D	A	C		
E	A	C		

Graphs: DFS Analysis



setting/getting labels

every vertex labeled twice

every edge is labeled twice

querying vertices

each vertex

total over algorithm

querying edges

TOTAL RUNNING TIME: